

BRICK SMOOTH





Brick Smooth, il raccordo perfetto tra forma e funzionalità.

La collezione Brick Smooth è il punto di riferimento per chi cerca una soluzione versatile ed elegante per l'illuminazione esterna delle proprie abitazioni.

Grazie al suo design contemporaneo e alle sue forme arrotondate, Brick Smooth è in grado di adattarsi perfettamente a qualsiasi contesto architettonico, creando un'atmosfera unica e accogliente. La collezione è altamente personalizzabile, in modo da soddisfare ogni esigenza di stile e di funzionalità.

Brick Smooth, the perfect link of form and functionality.

The Brick Smooth collection is the go-to choice for those seeking a versatile and elegant solution for outdoor lighting. With its contemporary design and rounded shapes, Brick Smooth seamlessly adapts to any architectural setting, creating a unique and welcoming atmosphere. The collection offers high levels of customization to meet individual style and functionality preferences.



Finitura metallica



Finiture metalliche
Antracite
Bianco Puro RAL9010



Metal finishes
Anthracite
Pure White RAL9010

Finitura primer verniciabile



Versione fornita con solo primer opaco.
Con l'aggiunta di un aggrappante, *non incluso nella fornitura*, il prodotto può essere successivamente verniciato del medesimo colore della parete sulla quale viene installato. Ideale pe i progetti nei quali la sola luce deve essere protagonista!

Paintable finish with primer on
Matte Primer only version with the addition of a cling - *not included in the supply* - the product can be then painted the same color of the wall on which it is installed. Ideal for projects in which light alone must be the protagonist!



Cementolight®



La versatilità della collezione Smooth si estende anche alla sua disponibilità in una variante unica: il cemento, il cui impasto è costituito per il 30% da materiale riciclato. Oltre alle opzioni metalliche tradizionali, questa collezione offre il cemento in due colorazioni, grigio caldo e verde salvia, conferendo un tocco distintivo e contemporaneo a qualsiasi spazio esterno. Grazie alla sua texture, il cemento aggiunge robustezza ed eleganza alla collezione Smooth, offrendo una soluzione unica per l'illuminazione esterna.

The versatility of the Smooth collection extends to its availability in a unique variant: concrete, 30% made of recycled material. In addition to the traditional metallic options, this collection offers concrete in two color variations, gray and sage green, adding a distinctive and contemporary touch to any outdoor space. With its textured finish, concrete brings robustness and elegance to the Smooth collection, providing a unique solution for outdoor lighting.

Finiture cemento
Cementolight® grigio caldo
Cementolight® verde salvia

Concrete finishes
Cementolight® warm grey
Cementolight® sage green

Applique

Wall





Performance data

Power	5.6	14.0
Output lumen 3000K	634	1686
Output lumen 4000K	679	1805
L90 lifetime Ta35°C(HRS)	55.000 hrs	55.000 hrs

Build data

Class	I	I
Voltage	220-240V 50-60Hz	220-240V 50-60Hz
Power supply	Included ON-OFF	Included ON-OFF
External cable	Single input 3-poles (not furnished)	Single input 3-poles (not furnished)
Protection rating	IP65	IP65

Dimensions



● Finish	_1	● Anthracite	_N	● Anthracite
	_2	● Pure White (RAL9010)	_O	● Pure White (RAL9010)
	_U	🔧 Primer paintable	_U	🔧 Primer paintable
	_S	● Cementolight® warm grey	_S	● Cementolight® warm grey
	_T	● Cementolight® sage green	_T	● Cementolight® sage green
■ CCT	_2	2700°K - CRI 90	_2	2700°K - CRI 90
	_3	3000°K - CRI 90	_3	3000°K - CRI 90
	_4	4000°K - CRI 90	_4	4000°K - CRI 90
▲ Beam	_05	Diffused	_05	Diffused
Code composition	33301	● ■ ▲	33302	● ■ ▲

Technical data


DATA SHEET , .LDT, .IES, BIM , 3D-3DS, DWG available on the web site francesconi.it

APPLIQUE

Ground distance 2.5 m

MIDPOWER

6W



3000k - 634 lm - 113 lm/w



4000k - 679 lm - 121 lm/w

APPLIQUE

Ground distance 2.5 m

MIDPOWER

14W



3000k - 1682 lm - 120 lm/w

4000k - 1805 lm - 129 lm/w



FRANCESCONI

F.lli Francesconi & C. S.R.L.
via Enrico Fermi, 4
25030 - Roncadelle (BS) Italia
+39 030 2780445 / 030 2780185
info@francesconi.it

www.francesconi.it

Graphic design and Art direction
OSMO Design Studio